## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name	e or trade mark:	VS Manufaktur e.K.			
Supplier's addre	ess: -				
Model identifie	r: SOLA 80				
Type of light so	urce:				
Lighting techno	logy used:	HL	Non-directional or directional:	NDLS	
Light source cap-type		R7s			
(or other electri	ic interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	Nein	
Colour-tuneable	e light source:	Nein	Envelope:	-	
High luminance light source:		Nein			
Anti-glare shield	d:	Ja	Dimmable:	Yes	
		Product para	meters		
Parameter		Value	Parameter	Value	
		General product p	T	I	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		160	Energy efficiency class	G	
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 400 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 900	
On-mode power (P <sub>on</sub> ), expressed in W		160,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,10	
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	100	
Outer	Height	650	Spectral power	See image	
dimensions without	Width	800	distribution in the	in last page	
vvitilout	Depth	800			

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,350 0,390

(a)'-': not applicable; (b)'-': not applicable;